

2018 Energy Use Data
Town of Aurora Municipal Buildings over 1,000 square feet

| Property | Address | Primary Use Type | Gross Floor Area (square feet) | Site Energy Use Intensity (kBtu/ft²) | Weather Normalized Source EUI (kBtu/ft²) | Annual Greenhouse Gas Emissions (Metric Tons CO₂e) | Energy Performance Score |
|--|---|-------------------------|---|--|--|--|---|
| West Falls- Colden Community Center | 1966 Davis Rd West Fall, NY 14170 | Social/Meeting Hall | 2,056 | 112.9 | Not Available | 11.7 | N/A |
| Aurora Highway Garage | 251 Quaker Rd East Aurora, NY 14052 | Other – Public Services | 9,168 | 113.1 | 129.2 | 54.3 | N/A |
| Aurora Parks Garage | 251 B Quaker Rd East Aurora, NY 14052 | Other – Public Services | 7,200 | 51.3 | 67.3 | 18.7 | N/A |
| Aurora Senior Center | 587 Oakwood Ave East Aurora, NY 14052 | Social/Meeting Hall | 15,440 | 70.1 | 107.6 | 53.1 | N/A |
| Aurora Community Pool | 690 South Street East Aurora, NY 14052 | Swimming Pool | 2,400 | 25.7 | 67.6 | 2.7 | N/A |
| Vacant Firehall | 575 Oakwood Ave East Aurora, NY 14052 | Other - Public Services | 16,688 | 41 | 49.8 | 35.5 | N/A |

During 2018, municipal buildings in the Town of Aurora over 1,000 square feet used a total of 163,645 kWh of electricity, 2,299.7 kcf of natural gas, emitting a total of 176 Metric Tons CO₂e.