

2016 Energy Use Data
Town of Aurora Municipal Buildings over 1,000 square feet

Property	Address	Primary Use Type	Gross Floor Area (square feet)	Site Energy Use Intensity (kBtu/ft ²)	Weather Normalized Source EUI (kBtu/ft ²)	Annual Greenhouse Gas Emissions (Metric Tons CO ₂ e)	Energy Performance Score
West Falls- Colden Community Center	1966 Davis Rd West Fall, NY 14170	Social/Meeting Hall	2,056	101.8	Not Available	11	N/A
Aurora Highway Garage	251 Quaker Rd East Aurora, NY 14052	Other – Public Services	9,168	78.2	113.2	37.7	N/A
Aurora Parks Garage	251 B Quaker Rd East Aurora, NY 14052	Other – Public Services	7,200	39.4	64.7	14.8	N/A
Aurora Senior Center	587 Oakwood Ave East Aurora, NY 14052	Social/Meeting Hall	15,440	66.7	119.4	53.3	N/A
Aurora Community Pool	690 South Street East Aurora, NY 14052	Swimming Pool	2,400	152.4	213.6	21.5	N/A
Aurora Town Hall *	300 Gleed Ave East Aurora NY 14052	Office	127,384	32.5	74.8	210.3	99

During 2016, municipal buildings in the Town of Aurora over 1,000 square feet used a total of 798,838 kWh of electricity, 11,238.4 kcf of natural gas, emitting a total of 348.6 Metric Tons CO₂e.

* Aurora Town Hall was calculated for a single year (complete 12 months) ending October 31, 2016 since the building was sold and not property of the Town of Aurora after that date.