

Erie County Water Authority

295 Main Street • Room 350 • Buffalo, NY 14203-2494 716-849-8484 • Fax 716-849-8463

Office of the Commissioners

March 28, 2024

VIA EMAIL

Dear Bulk Water System Customer:

Attached please find the Erie County Water Authority's ("Authority") 2023 Annual Water Quality Report (AWQR) supplement. We are forwarding this supplement to you for your use in preparing your system's report. This report is prepared in accordance with the requirements of both the United States Environmental Protection Agency and the New York State Department of Health.

We are pleased to report that the Authority's water system operated under "NO VARIANCE OR EXEMPTION" from any federal or state regulatory requirements. The Authority is proud of these results and will continue its proactive efforts to provide customers with high quality water at a very affordable rate.

If you have any questions regarding the content of this report or prefer a paper copy, please contact Sabrina Figler, Director of Water Quality at 716-685-8574 or sfigler@ecwa.org.

Sincerely,

ERIE COUNTY WATER AUTHORITY

Jerome D. Schad, Chairman

Peggy A. La Gree

Wichele M Jann O.

German World

Peggy A. LaGree, Vice Chair

Michele M. Iannello, Treasurer

JDS:PAL:MMI:alh

Attachment

Cc: Sabrina Figler, Director of Drinking Water Quality (via email)

Brian Gould, e3 Communications (via email)

ERIE COUNTY WATER AUTHORITY



ABOUT THE ERIE COUNTY WATER AUTHORITY

The ECWA was created in 1949 by a special act of the New York State Legislature to ensure that the people and the industry of Erie County would have a safe, plentiful supply of water for the future. Since 1953, the ECWA has produced and reliably delivered water of the highest quality to its customers at an affordable rate. As an independent public-benefit corporation, ECWA is not an agency of New York State and is independent of Erie County government. ECWA operates as a financially self-sustaining public utility and pays all its operating expenses from revenues generated by the sale of water to its over 550,000 customers.

To comply with State Regulations, ECWA will be annually issuing a report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. Last year, your tap water met all New York State drinking water health standards. We are proud to report our system did not violate a maximum contaminant level or any other water quality standard. This report provides an overview of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to state standards.

If you have any questions about this report or concerns about your drinking water, please contact Sabrina Figler, Director of Water Quality, @ 716-685-8574. We want you to be informed about your drinking water. If you want to learn more, please attend any of our regularly scheduled Board meetings. The schedule may be found on www.ecwa.org. Board meetings are also streamed live and archived for later viewing from this website.

WHERE DOES OUR WATER COME FROM?

In general, the sources of drinking water, both tap and bottled, include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals, and in some cases, radioactive material, and can pick up substances resulting from the presence of animal or human activities. Contaminants that may be present in source water include microbial contaminants, inorganic contaminants, pesticides and herbicides, organic chemical contaminants, and radioactive contaminants. To ensure that tap water is safe to drink, the State and the EPA prescribe regulations which limit the number of certain contaminants in water provided by public systems. The State Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Our source waters are Lake Erie and the Niagara River. The ECWA's Sturgeon Point Treatment Plant in the Town of Evans draws water from Lake Erie to supply the southern area of Erie County and some communities in Chautauqua and Cattaraugus Counties. The Van de Water Treatment Plant in the Town of Tonawanda draws water from the Niagara River and provides water to the northern area of Erie County and to some customers of Monroe County Water Authority (MCWA) through an interconnection at the border to Genesee County. The MCWA operates in Genesee County. We do not directly serve any customers within Monroe County. These two plants serve more than 550,000 people through 174,198 service connections in Western New York. The water is treated by conventional treatment and filtration and chlorine disinfection. The ECWA is one of the many systems in NYS that adds a low level of fluoride to drinking water to provide consumer dental health protection. During 2023, our system did not experience any restriction of our water source.

FACTS AND FIGURES

In 2023, the ECWA produced approximately 26.72 billion gallons of high-quality water for residential, commercial, and industrial use in thirty-six municipalities. The daily average of water treated and pumped into the distribution system was 73.22 million gallons. The highest single day produced 102.99 million gallons. The amount of water delivered to customers was 16.76 billion gallons. Authorized unbilled consumption such as plant processes, flushing water mains, equipment and hydrant testing and fighting fires accounted for 339.33 million gallons. Meter inaccuracies, unauthorized consumption and known leaks accounted for 1217.9 million gallons. Losses due to unknown transmission and distribution leaks, services leaks and tank leakage and overflows account for 8.4 billion gallons. In 2023, residential water customers paid \$4.26/1000 gallons. The 2023 residential average customer bill was \$85.08 per quarter or \$340.32 for the year.

ARE THERE CONTAMINANTS IN OUR DRINKING WATER?

As the state regulations require, we routinely test your drinking water for numerous contaminants. These contaminants include total coliform, turbidity, inorganic compounds, nitrate, lead and copper, volatile organic compounds, total trihalomethanes, haloacetic acids, radiological and synthetic organic compounds. The table presented below depicts which compounds were detected in your drinking water. The state allows us to test for some contaminants less than once per year because the concentration of these contaminants does not change frequently. Some of our data, though representative, are more than one year old. The sample date is directly noted.

It should be noted that all drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline @ 1-800-426-4791 or the Erie County Health Department @ 716-961-6800.





| DETECTED CONTAMINANTS | | | | | | | |
|---|---------------------|-------------------|---|---------------------|-----------|--|--|
| CONTAMINANT | VIOLATION YES/NO | DATE OF SAMPLE | LEVEL DETECTED (Avg/Max); (Range) | UNIT MEASUREMENT | MCLG | REGULATORY LIMIT (MCL, TT OR AL) | LIKELY SOURCE OF CONTAMINATION |
| Inorganic Contaminants & Physical Tests | | | | | | | |
| Barium | No | 10/19/23 | 0.0189-0.0198 mg/L; Average=0.0194mg/L | mg/L | 2.0 mg/L | 2.0 mg/L | Erosion of natural deposits; discharge of drilling wastes; discharge from metal refineries. |
| Chloride | No | 1/23 | 15.5-26.8 mg/L; Average=18.8 mg/L | mg/L | NE | 250 mg/L | Naturally occurring or indicative of road salt contamination |
| Chlorine | No | 11/23 | 0.62-1.86 mg/L; Average=1.41 mg/L | mg/L | NA | MRDL=4.0 mg/L | Added for disinfection. |
| Copper ² | No | 08/23 | ND-118 ug/L; 90 th percentile=31.5 ug/L, 0 of 106 above AL | ug/L | 1300 ug/L | AL=1300 ug/L | Corrosions of home plumbing systems; natural erosion; leaching from wood preservatives |
| Fluoride | No | 4/23 | 0.44-1.06 mg/L; Average=0.65 mg/L | mg/L | NA | 2.2 mg/L | Erosion of natural deposits; water additive that promotes strong teeth; discharge from aluminum fertilizer facilities. |
| Lead ³ | No | 07/23 | ND-31.0 ug/L; 90 th percentile =8.4 ug/L, 4 of 106 above AL | ug/L | 0 ug/L | AL=15 ug/L | Home plumbing corrosion; natural erosion. |
| Nickel | No | 10/19/23 | 0.79-0.80 ug/L. Average=0.80 ug/L | ug/L | NE | NR | Nickel enters ground water and surface water by dissolution of rocks and soils, from atmospheric to out; from biological decay and from waste dispos |
| Nitrates | No | 7/31/23 | 0.11-0.13 mg/L Average = 0.12 mg/L | mg/L | 10 mg/L | 10 mg/L | Nitrates are naturally present in soils, water, air, a plants. Other sources are fertilizer and sewage rul off, |
| Manganese | No | 11/23 | 0.0-2.04 ug/L; Average=0.45 ug/L | ug/L | NE | NR | Naturally occurring, indication of landfill contamination. |
| pH | No | 3/23 | 7.04-8.44; Average=7.97 | SU | NE | NR | Naturally occurring; adjusted for corrosion control |
| Distribution System Turbidity | No | 1/23 | 0.10-0.70 NTU; Average=0.19 NTU | NTU | NA | TT =/<5 NTU | Soil runoff |
| Entry Point Turbidity ¹ | No | 3/5/23 | 0.187 NTU highest level detected; Lowest monthly % <0.30 NTU=100% | NTU | NA | TT=95% of samples = 0.30 NTU</td <td>Soil runoff</td> | Soil runoff |
| Total Organic Carbon | No | 5/23 | 1.69-2.10 mg/L; Average =1.89 mg/L | mg/L | NA | TT | Naturally occurring in the environment |
| Disinfection By-products | | | | | | | |
| Total Trihalomethanes | No | 8/22/23 | $17-72 \text{ ug/L}; LRAA = 56^4$ | ug/L | NE | LRAA = 80 | By-product of water disinfection (chlorination) |
| Total Haloaetic Acids | No | 8/22/23 | 8-59 ug/L; LRAA = 41 ⁴ | ug/L | NE | LRAA = 60 | By-product of water disinfection (chlorination) |
| Radiological Contaminants | | | | | | | |
| Radium 228 | No | 7/19 | ND | pCi/L | NE | NE | Erosion of natural deposits. |
| Combined Radium 226/228 | No | 7/19 | ND | pCi/L | 0 | 5.0 | Erosion of natural deposits. |

ERIE COUNTY WATER AUTHORITY



- 1 Turbidity is a measure of the cloudiness of the water. We test it because it is a good indicator of the effectiveness of our filtration system. State regulations require that turbidity must always be below 1 NTU in the combined filter effluent. The regulations require that 95% of the entry point turbidity samples collected have measurements below 0.3 NTU. Our highest single system turbidity measurement, 0.187 NTU, for the year occurred in March 2023.
- 2 The level presented represents the 90th percentile of the 106 sites tested. A percentile is a value on a scale of 100 that indicates the percent of a distribution that is equal to or below it. The 90th percentile is equal to or greater than 90% of the copper values detected at your water system. In this case, 106 samples were collected at your water system and the 90th percentile value was the twelfth highest sample at 32 ug/L. The second highest sample from 90th percentile was the ninth highest with a value of 35 ug/L. The action level for copper was not exceeded at any of the sites tested.
- 3 The 90th percentile value of lead was the twelfth highest sample at 8.4 ug/L. The second highest sample from the 90th percentile was the eleventh highest with a value of 9.1 ug/L. The action limit for lead was exceeded at 4 of the 106 sites tested.
- 4 This level represents the highest locational running annual average calculated from data collected.

Definitions and Abbreviations:

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Non-Detects (ND): Laboratory analysis indicates that the constituent is not present.

Nephelometric Turbidity Unit (NTU): A measure of the clarity of water. Turbidity more than 5 NTU is just noticeable to the average person.

Milligrams per liter (mg/l): Corresponds to one part of liquid in one million parts of liquid (parts per million - ppm).

Micrograms per liter (ug/l): Corresponds to one part of liquid in one billion parts of liquid (parts per billion - ppb).

Nanograms per liter (ng/l): Corresponds to one part of liquid in one trillion parts of liquid (parts per trillion - ppt).

Picocuries per liter (pCi/L): A measure of the radioactivity in water.

AL = Action Level: The concentration of the highest contaminant

<u>LRAA</u> = Locational Running Annual Average

ND = Not Detected: Laboratory analysis indicates the constituent is not present

NE = Not Established NR = Not Regulated

 \underline{NA} = Not Applicable \underline{SU} = Standard Units

ERIE COUNTY WATER AUTHORITY



WHAT DOES THIS INFORMATION MEAN?

As you can see from the table, our system had no violations. We have learned through our testing that some contaminants have been detected; however, these contaminants were detected below the level allowed by the State. It should be noted that the action level for lead was exceeded in four homes, meaning the concentration was greater than 15 ppb. We are required to present the following information on lead in drinking water: Lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Erie County Water Authority is responsible for providing high quality drinking water and removing lead pipes but cannot control the variety of materials used in plumbing components in your home. You share the responsibility for protecting yourself and your family from the lead in your home plumbing. You can take responsibility by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. Before drinking tap water, flush your pipes for several minutes by running your tap, taking a shower, doing laundry or a load of dishes. You can also use a filter certified by an American National Standards Institute accredited certified to reduce lead in drinking water. If you are concerned about lead in your water and wish to have your water tested, contact the ECWA Water Quality Laboratory's Director of Water Quality at 716-685-8574. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at http://www.epa.gov/safewater/lead.

IS OUR WATER SYSTEM MEETING OTHER RULES THAT GOVERN OPERATIONS?

During 2023, our system was in compliance with applicable State drinking water operating, monitoring, and reporting requirements.

INFORMATION ON RADON

Radon is a naturally occurring radioactive gas found in soil and outdoor air that may also be found in drinking water and indoor air. Some people exposed to elevated radon levels over many years in drinking water may have an increased risk of getting cancer. The main risk is lung cancer from radon entering indoor air from soil under homes.

In 2019, we collected a sample from each water treatment plant that were analyzed for radon. The results showed no detection of the radiological parameters. For additional information call your state radon program (1-800-458-1158) or call EPA's Radon Hotline (1-800-SOS-Radon).

DO I NEED TO TAKE SPECIAL PRECAUTIONS?

Although our drinking water met or exceeded state and federal regulations, some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by microbial pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

INFORMATION ON FLUORIDE ADDITION

Our system is one of the many drinking water systems in New York State that provides drinking water with a controlled, low level of fluoride for consumer dental health protection. According to the United States Centers for Disease Control, fluoride is highly effective in preventing cavities when present in drinking water at a properly controlled level. To ensure that the fluoride supplement in your water provides optimal dental protection, we monitor fluoride levels daily to make sure fluoride is maintained at a target level of 0.7 mg/L. During 2023, monitoring showed that fluoride levels in your water were within 0.2 mg/l of the target level for 99% of the time. During 2023, fluoride application was online, except during the following days due to supply issues: @ Sturgeon Point WTP, fluoride was not added 01/02/2023 - 01/11/2023 and @ Van de Water WTP, fluoride was not added 1/02/2023 - 1/11/2023.

ERIE COUNTY WATER AUTHORITY



INFORMATION ON UNREGULATED CONTAMINANTS

| | | COMPOUNDS TESTED BUT NOT DE | ГЕСТЕО | |
|---------------------------|--------------------------|-----------------------------|---------------------|----------------------------|
| Arsenic | Alachlor | Di-n-butyl phthalate | Metribuzin | Radium 226 |
| 4-Androstene-3,17-dione | Aldicarb | Di(2-ethylhexyl) adipate | Oxamyl (Vydate) | 1,1-Dichloroethylene |
| Baygon | Aldicarb Sulfone | 1,2-Dibromo-3-chloropropane | Oxyfluorfin | cis-1,2-Dichloroethylene |
| 2-Chlorotoluene | Aldicarb Sulfoxide | Dibromomethane | PCB 1016 | trans-1,2-Dichloroethylene |
| 4-Chlorotoluene | Aldrin | Dicamba | PFDA | 1,2-Dichloropropane |
| 17beta-Estradiol | alpha -BHC | Dichlorodifluoromethane | PFDoA | 1,3-Dichloropropane |
| 17alpha-Ethynyl estradiol | Anatoxin-a | Dieldrin | PFHxA | 2,2-Dichloropropane |
| 2,4-D | Asbestos | Isopropylbenzene | PFTA | 1,1-Dichloropropene |
| 1,3 Butadiene | Atrazine | p-Isopropyltoluene | PFTrDA | cis-1,3-Dichloropropene |
| 1,2-Dichlorobenzene | Benzene | Lindane | PFUnA | trans-1,3-Dichloropropene |
| 1,3-Dichlorobenzene | Benzo(a)pyrene | Mercury | Permethrin | 1,4-Dioxane |
| 1,4-Dichlorobenzene | Chlorpyrifos | Methiocarb | Pichloram | 3-Hydroxycarbofuran |
| 1,1-Dichloroethane | Chromium, Total | Methomyl | Profenofos | 2,3,7,8-TCDD (Dioxin) |
| 1,2-Dichloroethane | Cobalt | Methoxychlor | Propachlor | 2,4,5-TP (Silvex) |
| 1,2,3-Trichloropropane | Cyanide | MTBE | Propylene Glycol | 1,1,1,2-Tetrachloroethane |
| 1,2,4-Trimethylbenzene | Cylindrospermopsin | Methylene Chloride | n-Propylbenzene | 1,1,2,2-Tetrachloroethane |
| 1,3,5-Trimethylbenzene | Dalapon | Metolachlor | Quinoline | 1,2,3-Trichlorobenzene |
| Chlordane | Heptachlor | 9CL-PF30NS | Xylenes (o,m and p) | Chlorobenzene |
| 1,2,4-Trichlorobenzene | Di-Chlorodifluoromethane | Hexachlorobenzene | N-E-t-FOSAA | Heptachlor Epoxide |





| COMPOUNDS TESTED BUT NOT DETECTED | | | | | |
|-----------------------------------|--------------------------|------------------------------|------------------------------|------------------------|--|
| 1,1,1-Trichloroethane | Carbon Tetrachloride | Glyphosate | Perfluorodecanoic acid | o-Toluidine | |
| 1,1,2-Trichloroethane | Chloroethane | Gross Alpha Particles | Perfluoroheptanoic acid | Total Mircocystin | |
| Beryllium | Chloromethane | Gross Beta Particles | Perfluorohexanesulfonic acid | Toxaphene | |
| Bromide | Dimethipin | Hexachlorobutadiene | Perfluoronanoic acid | Tribufos | |
| Bromobenzene | Dinoseb | Hexachlorocyclopentadiene | Perfluorooctane sulfonate | Trichloroethylene | |
| Bromochloromethane | Diquat | PCB 1221 | Perfluorooctanoic acid | Trichlorofluoromethane | |
| Bromomethane | Endothall | PCB 1232 | 11CI-PF3OUDS | Vinyl Chloride | |
| Butachlor | Endrin | PCB 1242 | ADONA | | |
| Butylated hydroxyanisole | Equillin | PCB 1248 | Selenium | | |
| n-Butylbenzene | Estriol | PCB 1254 | Simazine | | |
| sec-Butylbenzene | Estrone | PCB 1260 | Styrene | | |
| t-Butylbenzene | Ethoprop | N-MeFOSAA | Tebuconazole | | |
| Cadmium | Ethylbenzene | HFPO-DA | Tetrachloroethylene | | |
| Carbaryl | Ethylene Dibromide (EDB) | Pentachlorophenol | Thallium | | |
| Carbofuran | GenX | Perfluorobutanesulfonic acid | Toluene | | |

| UNREGULATED PERFLUOROALKYL SUBSTANCES DETECTED | | | | | |
|--|-----------|----------------|----------------|------------------|----------------------------------|
| CONTAMINANT | VIOLATION | DATE OF SAMPLE | LEVEL DETECTED | UNIT MEASUREMENT | MCLG OR HEALTH ADVISORY LEVEL |
| Perfluorobutanoic Acid (PFBA) ¹ | No | 10/2/2023 | 2.0 | ng | NA |

¹⁻ Unregulated perfluoroalkyl substance detected as part of ECWA's quarterly sampling for regulatory PFAS/PFOA testing for the New York State Department of Health.

USEPA Health Advisory Levels identify the concentration of a contaminant in drinking water at which adverse health effects and/or aesthetic effects are not anticipated to occur over specific exposure durations. Health Advisory Levels are not to be construed as legally enforceable federal standards and are subject to change as new information becomes available. The Maximum Contaminant Level Goal (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Nanograms per liter (ng/l): Corresponds to one part of liquid in one trillion parts of liquid (parts per trillion - ppt).

ERIE COUNTY WATER AUTHORITY



WHY SAVE WATER AND HOW TO AVOID WASTING IT

The Erie County Water Authority encourages water conservation. Although Lake Erie and the Niagara River are a good supply of water, it must not be wasted. Our system has an adequate amount of water to meet present and future demands; however, there are several reasons why it is important to conserve water:

- Saving water saves energy to process and deliver it to homes, businesses, and farms and in turn, helps preserve the environment.
- saving water reduces the cost of energy required to pump water and the need to construct costly new wells, pumping systems and water towers; and
- 4 Saving water lessens the strain on the water system during a dry spell or drought, helping to avoid severe water use restrictions so that essential firefighting needs are met.
- Hydro-electric power requires water for its production.
- The planet is causing more water to evaporate as temperatures increase and droughts become all too common in some parts of the US and the World.

You can play a role in conserving water by becoming conscious of the amount of water your household is using, and by looking for ways to use less whenever you can. It is not hard to conserve water. Conservation tips include:

- 4 Automatic dishwashers use 15 gallons for every cycle, regardless of how many dishes are loaded. So, get a run for your money and load it to capacity.
- **♣** Take showers instead of baths and take shorter showers.
- License Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a day. Fix it and you can save almost 6,000 gallons per year.
- 4 Check your toilets for leaks by putting a few drops of food coloring in the tank, watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to one hundred gallons a day from one of these otherwise invisible toilet leaks.
- Lise your water meter to detect hidden leaks. Simply turn offall taps and water using appliances, then check the meter after 15 minutes. If it moved, you have a leak.
- ♣ Practice smart lawn watering and plant native species in your garden.
- Use less water when doing laundry.

SYSTEM IMPROVEMENTS

ECWA spent 48.4 million dollars in system-wide infrastructure upgrades including:

- Sturgeon Point Filter Gallery Piping Replacement \$7,038,379
- Sturgeon Point Sedimentation Basin Effluent Valve Replacement and Automation \$118,749
- Sturgeon Point Wash Water Tank Replacement \$342,725
- Sturgeon Point Transmission Main Condition Assessment \$363,269
- ♣ Van de Water Residuals Handling Improvements \$2,669,778
- Van de Water Raw Water Transmission Main \$261,264
- Corrosion Control Program (Pipe Loop Equipment) \$288,495
- LCRR Program Management (Curb Box Replacements) \$108,489
- ♣ Transmission Main Replacement Project from Van de Water to Ball Pump Station \$4,703,824
- Production and Transmission Core and Network Switches \$151,367
- Pump VFD Upgrades (Sturgeon Point, Van de Water, Colvin) \$473.663
- ♣ Pump Station Pump, Valve and Chlorination System Replacement (Various Locations) \$263,340
- ♣ Various UPS, Communications and SCADA Equipment Upgrades \$119,589
- ♣ Guenther Pump Station Rehabilitation Project \$268,706
- ♣ Newstead Pump Station Improvement Project \$973.840
- Center Street Betterment Project partnered with Erie County (City of Lackawanna) \$1,092,131
- Waterline Replacement (Towns of Hamburg, West Seneca, and City of Lackawanna) \$6.683,298
- Waterline Replacement (Towns of Hamburg, West Seneca, Cheektowaga, and Village of Depew) \$2,901,631
- Waterline Replacement (Towns of West Seneca, Cheektowaga, and Village of Depew) \$211,335
- ₩ Waterline Replacement (Towns of West Seneca and Cheektowaga) \$663,555
- ₩ Waterline Replacement (Town of Hamburg and City of Lackawanna) \$321,118
- Waterline Replacement (City of Tonawanda) \$2,720,464

ERIE COUNTY WATER AUTHORITY



- Waterline Replacement (Town of Amherst) \$6,572,952 Waterline Replacement (Town of Amherst) \$1,369,197
- Waterline Replacement (Town of Hamburg) \$1,478,438 Waterline Replacement (Town of Hamburg) \$418,991

AREAS SERVED

| PUBLIC WATER SUPPLY NAME | PWS ID | POPULATION |
|--------------------------|-----------|------------|
| ECWA Direct | NY1400443 | 311,527 |
| ECWA Amherst | NY1400399 | 91,733 |
| ECWA Boston | NY1421897 | 7,416 |
| ECWA Evans | NY1400445 | 12,754 |
| ECWA Hamburg Village | NY1400515 | 6,984 |
| ECWA Lancaster | NY1400421 | 28,940 |
| ECWA Newstead | NY1422651 | 5,801 |
| ECWA Orchard Park | NY1421762 | 25,265 |
| ECWA West Seneca | NY1404543 | 24,007 |

CLOSING

Thank you for allowing us to continue to provide your family with quality drinking water this year. We ask that all our customers help us protect our water sources, which are the heart of our community.

For additional or large print copies of this report, please call 716-849-8444, or visit www.ecwa.org or email your request to questionscomments@ecwa.org.

ERIE COUNTY WATER AUTHORITY



New York State Department of Health Source Water Assessment

The New York State Department of Health completed a draft Source Water Assessment of the supply's raw water sources under the state's Source Water Assessment Program (SWAP). The purpose of this program is to compile, organize, and evaluate information regarding possible and actual threats to the quality of public water supply (PWS) sources. It is important to note that source water assessment reports estimate the potential for untreated drinking water sources to be impacted by contamination. These reports do not address the safety or quality of treated finished potable tap water. The Great Lakes' watershed is exceptionally large and too big for a detailed evaluation in the SWAP. General drinking water concerns for public water supplies, which use these sources include storm generated turbidity, wastewater, toxic sediments, shipping related spills, and problems associated with exotic species (e.g., zebra mussels – intake clogging and taste and odor problems). The SWAP is based on the analysis of the contaminant inventory compiled for the drainage areas deemed most likely to impact drinking water quality at this public water supply's raw water intakes. Separate assessments were completed for the Lake Erie source and the Niagara River source. The assessment found a moderate susceptibility to contamination for the Lake Erie source. The amount of agricultural land in the assessment area results in elevated potential of disinfection byproduct precursors and pesticides contamination. While there are some facilities present, permitted discharges do not likely represent an important threat to source water quality based on their density in the assessment area. There is also noteworthy contamination susceptibility associated with other discrete contaminant sources, and these facility types include: landfills. The assessment found an elevated susceptibility to contamination. There is also a high density of sanitary wastewater discharges, which results in elevated susceptibility for all contaminant categories. Non-sanitary

The seal of the Partnership for Safewater as seen on this document indicates that we are part of a select group of water systems nationwide who have voluntarily committed themselves toward an initiative-taking approach to strengthen the safety of drinking water for our customers above and beyond the current regulatory requirements. For additional information on the Partnership for Safewater visit www.awwa.org/science/partnership.